



Lum-Co®

Downlight integrated with world's smallest carbon monoxide alarm.




Lumi-Plugin®


Range.

Lumi-CO®


Lumi-CO® Features.

You'll only notice it when your life depends on it. Lumi-CO® is the world's smallest carbon monoxide alarm designed to click inside our Downlight to help keep spaces safe and ceilings clear.






30/60/90




Lumi-CO® Spec.



Battery type	Non-replaceable CR2 10-year battery			
Battery life	Minimum 10-year life in normal operating conditions			
Sensor life	10 years after manufacturing date			
Operating temperature	+4°C to +38 °C (tested 0°C to 55°C)			
Operating humidity	Up to 90% RH non-condensing			
Sound	Audible indicator minimum 85dB @ 3 metres in anechoic successive tones			
Fire-rated	30/60/90 – Solid Joist 30 – Metal Webbed Joist & I-Joist			
Product colour	White			
Dimensions	Cut-out size	92mm	Diameter	110mm
	Height	74.5mm	Depth	55mm








Lumi-Plugin® Downlight.

Designed to fit in every room and fit every plugin seamlessly. Our Downlight provides beautiful, sophisticated and contemporary lighting – guaranteed for 5 years. All plugins are reliable, compatible, and interchangeable to create streamlined ceilings and stylish interiors.

Lumens	600 lumens	
Wattage	8.2W	
Voltage	220-240V AC 50Hz	
Dimmable	Trailing edge	
Built-in driver	Yes	
Colour temperature	3000K / 4000K	
Guarantee / hours	5 years / 50,000 hours	
Colour rendering index (CRI)	>80	
Beam angle	100 degrees	
kWh per 1000 hour life	10kWh	
Luminaire efficiency	86.05lm/W	
Energy rating	F	
Fire-rated	30/60/90 – Solid Joist 30 – Metal Webbed Joist & I-Joist	
Product colour	White	









Lumi-Plugin® Range.

View our range of interchangeable and easy-to-install plugins.



Lumi-Plugin® Downlight



Lumi-Smoke®



Lumi-Heat®



Lumi-CO®



Lumi-Sprinkler®



Lumi-Mist®



Lumi-Emergency®



Lumi-PIR®



One-Smoke®



One-Heat®



LUMI-PLUGIN®

+44 (0) 3303 801 329 hello@lumi-plugin.com lumi-plugin.com







